

SUCCESS WITH 2012 IECC DELAWARE

Recommended Practices for Optimized Energy Savings
for Builders & Trades



FOUNDATION





FOUNDATION CHECKLIST: JOB READY

BUILDER VERIFICATION



Stop work until details are corrected.

Proceed without corrections.

The sub-contractor who signs and completes this form is doing so to the best of his/her knowledge and should not be held legally responsible for work completed by other organizations. The intent of this form is to ensure job sites are ready before beginning work.

Signature:

Date:



FOUNDATION

CHECKLIST: JOB COMPLETE

RECOMMENDED PRACTICES + CODE REFERENCE

✓ ✗ N/A

1. **For crawlspaces, install 6-mil poly sheeting to overlap and extend up foundation walls at least 6 inches.**

Code Reference: 2012 IECC 402.2.10: Crawl space walls

2. **Damp proof the exterior of all below-grade walls.**

Code Reference: 2012 IRC R406: Foundation damp proofing

3. **Install a drainage system along entire foundation footing of below-grade walls.**

Code Reference: 2012 IRC R405.1: Foundation drainage

4. **For exterior insulation, install without gaps, voids, misalignment or compression and with a rigid, opaque and weather resistant protective covering.**

Code Reference: 2012 IECC 303.2.1: Foundation insulation protection

5. **For exterior insulation, install to meet 2012 IECC insulation levels.**

Code Reference: 2012 IECC Table 402.1.1: Insulation levels,
2012 IECC 402.2.9: Slab-on-grade floors 2012 IECC 402.2.8: Basement walls

CERTIFICATION

The sub-contractor who signs and completes this form is doing so to the best of his/her knowledge and should not be held legally responsible for work completed by other organizations. The intent of this form is to ensure job sites are ready before beginning work.

Name:

Company:

Signature: