



SystemVision 2019 Program Standards Rollout Plan

Definitions:

- **First Citation** is equivalent to a CWO item but not a failing inspection, keeping the conversation live around the changes.
- **Drop Dead** is the last acceptable date for the particular standard to be outside of compliance without prior approval by AE.
Immediately is considered July 1, 2019
- **2.1 Drainage:** Finished grade shall be sloped away from foundation...
Drop Dead - Immediately
- **2.4 Metal drip edge flashing...**
First citation - October 1, 2019 **Drop Dead** - December 31, 2019
- **2.5 Roof overhang...**
First citation - October 1, 2019 **Drop Dead** - December 31, 2019
- **2.6 Only if installed, gutters...**
Drop Dead - Immediately
- **3.3 Attic accesses** shall be insulated to a minimum of R-30. Insulation must be securely fastened.
Drop Dead - Immediately
- **3.5 ...insulated framed walls** must be covered with a rigid air barrier ...
Drop Dead – Immediately
- **7.2 All exterior lighting** shall use LEDs.
Drop Dead - Immediately
- **8.1 One house entry door, one bedroom entry and one bathroom entry** must be a minimum of 32 inches clear....
First citation - October 1, 2019 **Drop Dead** - December 31, 2019
- **8.2 One bathroom** shall have continuous blocking in walls...
First citation - October 1, 2019 **Drop Dead** - December 31, 2019
- **9.3 Radon-ready house/passive mitigation...**
First citation - October 1, 2019 **Drop Dead** - December 31, 2019

This plan is in pencil and is intended to get us all to compliance as soon as feasible.